

L Number	Hits	Search Text	DB	Time stamp
-	807	((decompilat\$4 and relocation) or (disassembl\$4 and relocation))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 19:13
-	684	((decompilat\$4 and relocation) or (disassembl\$4 and relocation)) and (@ad<=19991130 or @rlad<=19991130)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 19:17
-	3	((decompilat\$4 and relocation) or (disassembl\$4 and relocation)) and (@ad<=19991130 or @rlad<=19991130)) and ((object adj code) near4 (convert\$4 or transform\$\$ or translat\$4 or recreat\$4 or reproduc\$4 or regenerat\$4)) same ((high-level or source) adj2 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 19:16
-	3	((decompilat\$4 and relocation) or (disassembl\$4 and relocation)) and (@ad<=19991130 or @rlad<=19991130)) and ((object adj code) near4 (convert\$4 or transform\$\$ or translat\$4 or recreat\$4 or reproduc\$4 or regenerat\$4)) same ((high-level or source) adj2 code)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 19:17
-	1522	((binary or executable or object) adj3 ((source or "high level") adj2 (code or program or instruction)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 19:20
-	7	((binary or executable or object) adj3 ((source or "high level") adj2 (code or program or instruction)))) and ((decompilat\$4 and relocation) or (disassembl\$4 and relocation)) and (@ad<=19991130 or @rlad<=19991130))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 19:41
-	1	"assembler directives" and (event adj3 stack) and disassembl\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 19:42
-	3	assembler and (event adj3 stack) and disassembl\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/27 19:42
-	22	((("5819097") or ("6021272") or ("5946484") or ("6151701") or ("5754759") or ("5005152") or ("5860008") or ("5881290") or ("6026235") or ("5732273") or ("5287548"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 08:51
-	778	((717/130,136,139,141,147) or (714/37)).CCLS.) and (@ad<=19991130 or @rlad<=19991130)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 08:54
-	8	((717/130,136,139,141,147) or (714/37)).CCLS.) and (@ad<=19991130 or @rlad<=19991130)) and (decompilat\$4 or disassembl\$5) and (relocation or (reallocat\$4 and jump and offset))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 08:55
-	1562	((717/105,127,128,130,136,139,141,147,159) or (714/37)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 09:00
-	1793	((717/105,127,128,130,136,139,141,147,159,162,163) or (714/37)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 09:00

-	0	Noda.in. and decompil\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:48
-	16	Noda.in. and (source adj2 program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:49
-	1	(Katsuhiko or Matsuda) and (Noda.in. and (source adj2 program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 15:51
-	0	(decompil\$5 same (source adj code)) and (relocation near6 instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 16:20
-	56	(decompil\$5 same (source adj code))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 16:20
-	26	((decompil\$5 same (source adj code))) and (@ad<=19991130 or @rlad<=19991130)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 17:15
-	1	((decompil\$5 same (source adj code))) and (@ad<=19991130 or @rlad<=19991130)) and (relocat\$6 near4 instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 16:52
-	0	(reverse adj2 assembl\$5) and (relocat\$6 near4 instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 17:14
-	0	linker and (relocat\$6 near4 instruction) and decompil\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 17:15
-	13	linker and (relocat\$6 near4 instruction) and decompos\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 17:15
-	11	(linker and (relocat\$6 near4 instruction) and decompos\$6) and (@ad<=19991130 or @rlad<=19991130)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/21 17:15
-	3	(disassembl\$5 near6 (object adj2 code)) and (relocation adj2 instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 09:04

-	27	(US-6151701-\$ or US-6047123-\$ or US-5881290-\$ or US-5946484-\$ or US-5860008-\$ or US-5287548-\$ or US-5005152-\$ or US-6021272-\$ or US-6021275-\$ or US-5732273-\$ or US-5754759-\$ or US-6026235-\$ or US-5819097-\$ or US-6493868-\$ or US-5740469-\$ or US-6026237-\$).did. or (US-6151701-\$ or DE-4010828-\$ or EP-331060-\$ or US-6026235-\$ or US-5881290-\$ or US-5860008-\$ or US-5819097-\$ or US-5946484-\$ or US-5732273-\$ or US-6021272-\$ or EP-645705-\$).did.	USPAT; DERWENT	2004/05/24 11:35
-	6	((US-6151701-\$ or US-6047123-\$ or US-5881290-\$ or US-5946484-\$ or US-5860008-\$ or US-5287548-\$ or US-5005152-\$ or US-6021272-\$ or US-6021275-\$ or US-5732273-\$ or US-5754759-\$ or US-6026235-\$ or US-5819097-\$ or US-6493868-\$ or US-5740469-\$ or US-6026237-\$).did. or (US-6151701-\$ or DE-4010828-\$ or EP-331060-\$ or US-6026235-\$ or US-5881290-\$ or US-5860008-\$ or US-5819097-\$ or US-5946484-\$ or US-5732273-\$ or US-6021272-\$ or EP-645705-\$).did.) and ((symbol adj table) and disassembl\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 12:37
-	123	ladder and PLC and compil\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 12:38
-	30	(user adj interface) and model\$4 and (ladder and PLC and compil\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 12:42
-	3	((user adj interface) and model\$4 and (ladder and PLC and compil\$4)) and (programmable adj3 controller).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/24 12:42